




PICTURE	FUNCTION	SPECIFICATION		
		* Model No.	DX-GX1500W	DX-GX2000W
		* continuous power:	850W	950W
		* Peak power:	1500W	2000W
		* NO Load Power Rate	<0.3A	
		* Input DC voltage Range:	DC10-15V	
		* Output Voltage Range:	AC110±5%	
		* Output Frequency Range:	50+/- 3Hz	
		* Max Outer Temperature:	< 75°C	
		* Max Power Efficiency:	> 85%	
		* High Voltage Cut Off Level:	15 +/- 1V	
		* Low Voltage Alarm Level:	11V+/-0.3	
		* Low Voltage Cut Off Level:	10.5 +/- 0.3V	
		* Overload and Short-circuit Protection	Yes	
		 <p data-bbox="231 1354 1083 1396">China Europe Australia U.S.A Universal</p>	* Input Voltage:	DC 12V
* USB:	4			
* THD:	≤5%			
* Built-in Cooling Fan:	Yes			
* LED Screen	No			
* Product size:	215*102*58mm		250*102*58mm	
* Product Packing size:	270*160*75mm		320*160*75mm	
* N.W(piece/kg):	1kg		1.13kg	
* G.W(piece/kg):	1.08kg	1.23kg		

